

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Albifcants: Miki et al.

Serial No.: 09/673,333

Filed: February 28, 2001

Atty Dkt: 1096.001C Group Art Unit: 1638

Examiner: Collins, C.

Title: SEED-COAT PROMOTERS, GENES

AND GENE PRODUCTS

Certificate of Mailing Under 37 CFR §1.8(a)

I certify that this correspondence is being deposited with the U.S. Postal Service as first class mail in an envelope addressed to: Assistant Commissioner for Patents, RECENER 180/280 Washington, D.C. 20231 on March 25, 2003.

Attorney for Applicants Reg. No. 39,946

Date of Signature: March 25, 2003

Assistant Commissioner for Patents Washington, D.C. 20231

INFORMATION DISCLOSURE STATEMENT

Dear Sir:

Enclosed for filing in the above-captioned patent application is a Form PTO-1449 and a copy of each of the references cited therein. As this Information Disclosure Citation is being filed prior to receipt of a first Office Action on the merits, no petition or fee is due.

The submission of these references should not be construed as an admission by Applicants that the information contained therein is, or is considered to be, material to patentability as that term is defined in 37 CFR §1.56(b). It is respectfully requested that the Examiner return a copy of the Form PTO-1449 with initials or other appropriate marks indicating consideration of the cited material.

Respectfully submitted,

March 25, 2003

CANDICE J. CLEMENT, ESQ

Attorney for Applicants Registration No. 39,946

HESLIN ROTHENBERG FARLEY & MESITI P.C.

5 Columbia Circle

Albany, New York 12203 Telephone: (518) 452-5600 Facsimile: (518) 452-5579 APR 0 1 2003

INFORMATION DISCLOSURE CITATION

Docket No.: 1096.001C

Serial No.: 09/673,333

Applicants: Miki et al.

Examiner: Collins, C.

Filing Date: 02/28/2001

GAU: 1638

APR 0 3 2003

UNITED STATES PATENT DOCUMENTS

TECH CENTER 1,600/2901

Examiner Initial	Document Number	Date	Name	Class	Subclass	Filing Date If Appropriate

FOREIGN PATENT DOCUMENT

Examiner Initial		Document Number	Date	Country	Int'l Class	Int'l Subclass	Translation	
							Yes	No
	BA	2,186,833	03/31/98	CA	C12N	15/33		
·	BB	2,211,018	03/30/98	CA	C12N	15/53		
	ВС	WO 97/15656	05/01/97	wo	C12N	5/00		
	BD	WO 91/09957	07/11/91	wo	C12N	15/82	1	

OTHER DOCUMENTS

	CA	Hattori, J. et al., "A conserved BURP domain defines a novel group of plant proteins with unusual primary structures," Molecular Gen. Genet., 259:424-428 (1998)
~	СВ	Colombo, L. et al., "Downregulation of Ovule-Specific MADS Box Genes from Petunia Results in Maternally Controlled Defects in Seed Development," Plant Cell. 9:703-715 (1997)
	CC	and low temperature in seedlings," <i>Physiologia Plantarum</i> , 99:316-22 (1997)
ar-	CD	Protease Family from Plants," Journal of Biological Chemistry, 272:4412-19 (1997)
	CE	Solinas, G. et al., "Cloning of three cDNA's encoding novel myb (accession nos. Y11352, Y11415 and Y113510 from anaerobically treated rice coleoptiles (PGR 97-069), Plant Physiol., 114:395 (1997)
-	CF	Siezen, Roland J. and Leunissen, Jack A. M., "Subtilases: The superfamily of subtilisin-like serine proteases," <i>Protein Science</i> , 6:501-23 (1996)
	CG	Sabala, I. et al., "Characterization of a spruce gene constitutively expresses in somatic embryos and induced by ABA and low temperature in seedlings," Eur. Bioinformatics Inst., 48:(1996)
	СН	Barrett, Alan J. and Rawlings, Neil D., "Perspectives in Biochemistry and Biophysics: Families and Clans of Serine Peptidases," Archives of Biochemistry and Biophysics, 318:247-50 (1995)
	CI	Ribeiro, A. et al., "A Nodule-Specific Gene Encoding a Subtilisin-Like Protease is Expressed in Early Stages of Actinorhizal Nodule Development," Plant Cell, 7:785-794 (1995)
Examiner Sign	nature	Date

/	OIPE VENT
(APR 0 1 2003 &
1	NFORMATION DISCLOSURE CITATION

Docket No.: 1096.001C Serial No.: 09/673,333

Applicants: Miki et al. Examiner: Collins, C.


Filing Date: 02/28/2001 GAU: 1638

TECEIVED

OTHER DOCUMENTS (Continued)

APR 0 3 2003

	CJ_	Weber, Hans et al., "Seed Coat-Associated Invertases of Fava Bean Control Both Unloading and Storage Functions: Cloning of cDNAs and Cell Type-Specific Expression," Plant Cell, 7:1835-46 (1995)
	CK	Yamagata, Hiroshi et al., "Cucumisin, a Serine Protease from Melon Fruits, Shares Structural Homology with Subtilisin and Is Generated from a Large Precursor," Journal of Biological Chemistry, 269:32725-32731 (1994)
_	CL	Wang, Chang-Sheng and Vodkin, Lila O., "Extraction of RNA from Tissues Containing High Levels of Procyanidins that Bind RNA," Plant Molecular Biology Reporter, 12:132-145 (1994)
	СМ	Fobert, Pierre R. et al., "T-DNA tagging of a seed coat-specific cryptic promoter in tobacco," Plant Journal 6:567-77 (1994)
	CN	Capel, J. et al., "No-random distribution of transposable elements in the nuclear genome of plants," Nucleic Acids Research, 21:2369-73 (1993)
-	СР	Yamaguchi-Shinozaki, Kazuko and Shinozaki, Kazuo, "The plant hormone abscisic acid mediates the drought-induced expression but not the seed-specific expression of rd22, a gene responsive to dehydration stress in Arabidopsis thaliana," Mol. Gen. Genet., 238:17-25 (1993)
	cQ	Datta, N. et al., "Isolation and characterization of three families of auxin down-regulated cDNA clones," Plant Molecular Biology, 21:859-69 (1993)
-	CR -	Lindsey, K. et al., "Tagging genomic sequences that direct transgene expression by activation of a promoter trap in plants," Transgenic Research, 2:33-47 (1993)
	CS	Covello, Patrick S. and Gray, Michael W., "Silent mitochondrial and active nuclear genes for subunit 2 of cytochrome c oxidase (cox2) in soybean: evidence for RNA-mediated gene transfer," The EMBO Journal, 11:3815-20 (1992)
•	CT _	Irniger, S. et al., "The yeast actin intron contains a cryptic promoter that can be switched on be preventing transcriptional interference," Nucleic Acids Research, Institute of Microbiology, Swiss Federal Institute of Technology, Zürich, Switzerland, 20:2733-39 (1992)
	CU	Fourel, Geneviève et al., "Expression of the Woodchuck N-myc2 Retroposon in Brain and in Liver Tumors is Driven by a Cryptic N-myc Promoter," Molecular and Cellular Biology, 12:5336-44 (1992)
	CV -	Normal Growth of Transgenic Tobacco Plants in the Absence of
	CW	Thong Liansheng et al. "The & Subunit of Tomato Fruit Polygalacturonase Isoenzyme 1: Isolation,
	CX-	Quallet Thérèse Putledge Robert G and Miki, Brian L., "Members of the acetohydroxyacid synthase
_	CY~	Koncz, C. et al., "T-DNA insertional mutagenesis in Arabidopsis," Plant Molecular Biology, 20:963-76 (1992).
	CZ	Breyene, P. et al., "Characterization of a Plant Scaffold Attachment Region in a DNA Fragment that Normalizes Transgene Expression in Tobacco," Plant Cell, 4:463-71 (1992)
	ner Signat	Deta



Docket No.: 1096.001C

Serial No.: 09/673,333

Applicants: Miki et al.

Examiner: Collins C.


Filing Date: 02/28/2001

GAU: 1638

OTHER DOCUMENTS (Continued)

APR 0 3 2003 TECH CENTER 1600/2900

	CA1	Al-Shawi, R. et al., "The Herpes Simplex Virus Type 1 Thym Transgenic Mice under the Control of a Cryptic Promoter," Me	nidine Kinase is Expressed in the Testes of
•	СВ1	Feldmann, Kenneth A., "T-DNA insertion mutagenesis in Ara 1:71-82 (1991)	
	CC1	Kertbundit, S. et al., "In vivo random \(\beta\)-glucuronidase gene fur Sci. USA, 88:5212-16 (1991)	sions in Arabidopsis thaliana," Proc. Natl. Acad.
	CD1	Nugent, Jacqueline M. and Palmer, Jeffrey D., "RNA-Mediate Mitochondrion to the Nucleus during Flowering Plant Evolution	ed Transfer of the Gene coxII from the on," Cell, 66:473-481 (1991)
_	CE1	Gheysen, Godelieve, Villarroel, Raimundo and VanMontagu, model for T-DNA integration," Genes & Development, 5:287-	Marc, "Illegitimate recombination in plants: a
(CF1	Takahashi, Nobuo et al., "Activation and Suppression of a Cr. Melanoma-associated ME491 Antigen Gene," Jpn. Journal C	yptic Promoter in the Intron of the Human
	CG1	Rutledge, R. G. et al., "Molecular characterization and genetic synthase multigene family," Mol. Gen. Genet., 229:31-40 (19)	c origin of the <i>Brassica napus</i> acetohydroxyacid
_	СН1	Palmer, Jeffrey D., "Plastid Chromosomes: Structure and Evo Bogorad, L and Vasil, I.K., eds., Chapter 2:5-53 (1991)	
_	CII	Fobert, Pierre R., Miki, Brian L. and Iyer, V. N., "Detection of DNA-mediated fusions," <i>Plant Molecular Biology</i> , 17: 837:85	of gene regulatory signals in plants revealed by T-51 (1991)
-	CJ1	Bäumlein, Helmut et al., "A novel seed protein gene from Vio tobacco and Arabidopsis plants," Mol. Gen. Genet., 225:459-	cia faba is developmentally regulated in transgenic
	CK1	Walden, R. et al., "T-DNA as a gene tag," Plant Journal, 1:2	
	CL1	Van Lijsebettens, M. et al., "Insertional mutagenesis in Arabi	idopsis thaliana," Plant Science, 80:27-37 (1991)
	CM1	van de Ven, Wim J. M., et al., "Furin is a subtilisin-like proposition of the proposition	rotein processing enzyme in higher eukaryotes,"
_	CN1	Yanofsky, Martin F. et al., "The protein encoded by the Arab transcription factors," Nature, 346:36-39 (1990)	sidopsis homeotic gene agamous resembles
_	CP1	Kosugi, S. et al., "An Improved Assay for \(\mathbb{B}\)-Glucuronidase in Completely Suppresses a Putative Endogenous \(\mathbb{B}\)-Glucuronid	n Transformed Cells: Methanol Almost ase Activity," Plant Science, 70:133-140 (1990)
	CNI	Voltage A at al. "Different Temporal and Spatial Gene E	
_	CP1	Gheysen, G. et al. "Cloning and sequence analysis of truncate 94:155-63 (1990)	ed T-DNA inserts fro Nicotiana tabacum," Gene,
	CQ1	Baszczynski, Chris L. and Fallis, Lynne, "Isolation and nucle Brassica napus napin gene," Plant Molecular Biology, 14:63	eotide sequence of a genomic clone encoding a new 3-35 (1990)
Examiner	Signat	ure	Date



Docket No.: 1096.001C Serial No.: 09/673,333

Applicants: Miki et al. Examiner: Collins, C.

Filing Date: 02/28/2001 GAU: 1638

PECEIVED

OTHER DOCUMENTS (Continued)

APR 0 3 2003

		TECH CENTER		
	CR1	Mizuno, K. et al., "Yeast Kex2 Gene Encodes an Endopeptidase Homologous to Subtilisin-Like Serine Proteases," Biochemical and Biophysical Research Communications, 156:246-54 (1988)		
	CS1	Chen, ZL. et al., "A DNA sequence element that confers seed-specific enhancement to a constitutive promoter," The EMBO Journal, 7:297-302 (1988)		
,	CT1	Moos, M. et al., "Reproducible High Yield Sequencing of Proteins Electrophoretically Separated and Transferred to an Inert Support," Journal of Biological Chemistry, 263:6005-8 (1988)		
_	CU1	Sanders, P. R. et al., "Comparison of cauliflower mosaic virus 35S and nopaline synthase promoters in transgenic plants," Nucleic Acids Research, Plant Molecular Biology Group, MO USA, 15:1543-58 (1987)		
	CV1	Odani, S. et al., "Soybean hydrophobic protein: Isolation, partial characterization and the complete primary structure," Eur. J. Biochem., 162:485-91 (1987)		
_	CW1	Joshi, C. P., "An Inspection of the domain between putative TATA box and translation start site in 79 plant genes," <i>Nucleic Acids Research, Division of Biochemical Sciences, National Chemical Laboratory, India</i> , 15:664353 (1987)		
	CX1	Jefferson, Richard A., "Assaying Chimeric Genes in Plants: The GUS Gene Fusion System," Plant Molecular Biology Reporter, 5:387-405 (1987)		
-	CY1	Blum, Helmut et al., "Improved silver staining of plant proteins, RNA and DNA in polyacrylamide gels," Electrophoresis, Institut für Biochemie, 8:93-99 (1987)		
	CZ1	Gheysen, Godelieve, VanMotagu, Marc and Zambryski, Patricia, "Integration of Agrobacterium tumefaciens transfer DNA (T-DNA) involves rearrangements of target plant DNA sequences," Proc. Natl. Acad. Sci. USA, 84:6169-73 (1987)		
_	CA2	Power, Scott D. et al. "Secretion and autoproteolytic maturation of subtilisin," Proc. Natl. Acad. Sci. USA, 83:3096-3100, (1986)		
	CB2	Gasser, Susan and Laemmli, Ulrich K., "Cohabitation of Scaffold Binding Regions with Upstream/Enhancer Elements of Three Developmentally Regulated Genes of D. melanogaster," Cell, 46:521-30 (1986)		
_	CC2	Fling, Steven P. and Gregerson, Dale S., "Peptide and Protein Molecular Weight Determination by Electrophoresis Using a High-Molarity Tris Buffer System without Urea," <i>Analytical Biochemistry</i> , 155:83-88 (1985)		
_	CD2	Rhodes, P. R. and Vodkin, L. O., "Highly structured sequence homology between an insertion element and the gene in which it resides," <i>Proc. Natl. Acad. Sci. USA</i> , 82:493-97 (1985)		
	CE2	Okamuro, Jack K. and Goldberg, Robert B., "Tobacco single-copy DNA is highly homologous to sequences present in the genomes of its diploid progenitors," <i>Mol. Gen. Genet.</i> , 198:290-298 (1985)		
_	CF2	Bevan, Michael, "Binary Agrobacterium vectors for plant transformation," Nucleic Acids Research: Plant Breeding Institute, Cambridge, UK, 12:8711-21 (1984)		
/	CG2	Pickett, James W., "Recognition of protein coding regions in DNA sequences," Nucleic Acids Research: Theoretical Division, Los Alamos National Laboratory, NM, USA, 10:5303-18 (1982)		
aminer S	ignature	Date		